

MATERIAL SAFETY DATA SHEET

Western Environmental Services, Inc.
P.O. Box 9035
Scottsdale, AZ 85252

GENERAL INFORMATION NUMBER: (602) 234-8873

REVISION DATE: March 18, 2004

DATE OF ISSUE: March 19, 2004

I - Product Identification

Parts Brite

PRODUCT CODE: 0156

CHEMICAL FORMULATION: Solvent based cleaner/degreaser.

NFPA HAZARD IDENTIFICATION SYSTEM: HEALTH: 2

FLAMMABILITY: 2

REACTIVITY: 0

HAZARD RATING: 4 - Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

II - Hazardous Ingredients

Values reported as TWA unless noted.

<u>SUBSTANCE</u>	<u>APPROX</u>	<u>OSHA</u>	<u>ACGIH</u>	<u>EPA 40 CFR:</u>			<u>CAS #</u>
	<u>%</u>	<u>PEL</u>	<u>TLV</u>	<u>302</u>	<u>355</u>	<u>372</u>	
Petroleum Hydrocarbon	20.0-25.0	N/E	N/E	N	N	N	64742-95-6
Mineral Spirits	60.0-70.0	N/E	100 ppm	N	N	N	8052-41-3
1,2,4 Trimethylbenzene	5.00-10.0	25 ppm	25 ppm	N	N	Y	95-63-6
Poly (oxyethylene) nonylphenol	< 2.00	N/E	N/E	N	N	N	9016-45-9
Ethoxylated Octyl Phenol	< 2.00	N/E	N/E	N	N	N	9036-19-5

Key: PEL: Permissible Exposure Limit TLV: Threshold Limit Value C: Ceiling level STEL: Short Term Exposure Limit
N/A: Not Applicable N/D: Not Determined N/E: Not Established Y: Yes N: No

302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).

355: SARA TITLE III / List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).

372: SARA TITLE III / List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

III - Physical Data

BOILING POINT (°F): N/A

SPECIFIC GRAVITY (WATER = 1): 0.80-0.81

VAPOR PRESSURE (mm Hg): N/D

VOC CONTENT (% by weight): > 90.0

VAPOR DENSITY (AIR = 1): N/D

EVAPORATION RATE (WATER = 1): > 1.0

SOLUBILITY IN WATER: Emulsifiable

pH: N/A

APPEARANCE AND ODOR: Clear to hazy, colorless liquid; characteristic solvent odor.

IV - Fire and Explosion Hazard Data

FLASH POINT (°F): 108

(TEST METHOD): Closed cup

FLAMMABLE LIMITS IN AIR (VOLUME %)

UPPER: N/D

LOWER: N/D

EXTINGUISHING MEDIA: Foam, carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Cool fire exposed containers with water fog. Firefighters should be equipped with full protective gear including self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARD: Solvent vapors may cause flashback. Toxic vapors may form upon combustion.

V - Reactivity Data

STABILITY: Stable**INCOMPATIBILITY:** Strong acids & oxidizers**CONDITIONS TO AVOID:** Excess heat and open flame.**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition may produce oxides of carbon.**HAZARDOUS POLYMERIZATION:** Will not occur.**CONDITIONS TO AVOID:** None

VI - Health Hazard Data

ROUTES OF ENTRY **INHALATION:** X **EYE CONTACT:** X **SKIN CONTACT:** X **INGESTION:** X**INGREDIENTS THAT ARE CONSIDERED BY OSHA, NTP, IARC TO BE SUSPECTED HUMAN CARCINOGENS:** None.**EFFECTS OF OVEREXPOSURE****IF IN EYES:** Mild to moderate irritation and redness. May result in injury to eye tissue if not removed promptly.**IF ON SKIN:** Redness, dryness, irritation, defatting with prolonged or repeated exposure.**IF SWALLOWED:** Gastrointestinal irritation, nausea, cramps, vomiting. Small amounts of this product aspirated into the respiratory system during ingesting or vomiting may cause mild to severe pulmonary injury, possibly progressing to death.**IF INHALED:** Irritation to upper respiratory tract. May cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other CNS effects, including death.**EMERGENCY AND FIRST AID PROCEDURES****IF IN EYES:** Flush eyes and under eyelids with plenty of cool water for at least 15 minutes. If irritation persists, obtain medical attention.**IF ON SKIN:** Wash with soap and water while removing contaminated clothing including shoes. Launder clothing separately. If irritation persists, obtain medical attention.**IF SWALLOWED:** Contact physician or poison control center immediately. Rinse mouth with water. Do not induce vomiting. Keep person warm and quiet.**IF INHALED:** Remove person to fresh air. Administer artificial respiration if breathing has stopped. Obtain medical attention.

VII - Spill or Leak Protection

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Ventilate area and remove all sources of ignition. Contain spill. Soak up spilled material with inert absorbent material and place in a properly marked closed container for proper disposal.**WASTE DISPOSAL METHOD:** Consult local environmental authorities.

VIII - Special Protection Information

RESPIRATORY PROTECTION: Use with adequate ventilation. Do not breathe vapors or mists. If recommended Exposure Limits are exceeded wear a NIOSH approved respirator, following manufacturer's recommendations.**VENTILATION****LOCAL:** Recommended**MECHANICAL:** Not required**PROTECTIVE GLOVES:** Chemical resistant.**EYE PROTECTION:** Safety glasses and/or face shield.**OTHER PROTECTIVE EQUIPMENT:** Eye wash station, protective clothing.**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Store in a cool, dry place away from heat or open flame. Keep container tightly closed when not in use.**OTHER PRECAUTIONS:** Keep out of reach of children.

IX - Transportation Information (ground transportation only)

DOT PROPER SHIPPING NAME: None**DOT CLASS:** None**DOT ID NUMBER:** None**DOT PACKING GROUP:** None

The shipping information listed above applies only to non-bulk (< 119 gallons) containers of this product. This product may have more than one proper shipping name depending on packaging, product properties, & mode of shipment. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may apply.

REVISION DATE: March 18, 2004**Prepared by:** PMR**DATE OF ISSUE:** March 19, 2004

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Western Environmental Services, Inc. assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such as vendees or users assume all risks associated with the use of this material.