

This liquid ice melter quickly penetrates and dissolves frost, snow and ice accumulations and prevents further build-up. It will not cause damage to or form residue on asphalt, concrete, terrazzo, aluminum, steel, plastic, rubber or painted surfaces. Use it on stairs, sidewalks, driveways, bridges, ramps and loading docks where ice and snow pose a safety hazard. It also prevents the freezing of locks, chains, hinges, linkages, controls, coal conveyors and equipment.

Lowers the freezing point of water and penetrates ice for faster melting action. Simply spray, sprinkle, pour or swab onto the surface to be deiced. On glazed ice, scoring the melting surface will help prevent run-off and speed melting. However, this liquid ice melter can become diluted as it works and re-application may become necessary.

This product may be safely used on concrete, cement, brick and flagstone. Where these materials are not properly constructed or not sufficiently aged, the increase in freeze/thaw cycles may cause surface deterioration. Mortar joints are particularly susceptible. While such damage is rare, it involves factors over which the manufacturer has no control. Use of this ice melting compound on any surface is at the consumer's own risk.



**FAST CHEMICAL ACTION
GENERATES NO HEAT**

NON-CORROSIVE

LEAVES NO RESIDUE

SAFE FOR ALL SURFACES

DANGER  POISON

**FLAMMABLE. VAPOR HARMFUL. MAY BE
FATAL OR CAUSE BLINDNESS IF SWALLOWED.**

See side panel for further cautions
and first aid instructions.

KEEP OUT OF REACH OF CHILDREN

Sold By:

***Western Environmental
Services, Inc.***

"It's not just our planet, it's our home!"

TO ORDER CALL TOLL FREE 1-800-574-3948

Visit us today at www.western-environmental.com

DANGER  POISON

FLAMMABLE. VAPOR HARMFUL.

**MAY BE FATAL OR CAUSE
BLINDNESS IF SWALLOWED.**

Keep away from heat, spark and open flame. Use with adequate ventilation. Do not take internally.

FIRST AID

IF SWALLOWED: Contact a physician or poison control center immediately. Give person several glasses of water. DO NOT induce vomiting.

IF INHALED: Remove person to fresh air.

IF IN EYES: Flush with plenty of cool water for at least 15 minutes. If irritation persists, obtain medical assistance.

IF ON SKIN: Wash with soap and water.

KEEP OUT OF REACH OF CHILDREN

This product contains	CAS Number
Water7732-18-5
Ethylene Glycol107-21-1
Methanol67-56-1

275.120800

NET CONTENTS:

☐ 5 ☐ 6 ☐ 20 ☐ 30 ☐ 55

GALLONS

NFPA RATINGS

